

L Number	Hits	Search Text	DB	Time stamp
-	17259	unique adj (identifier id)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:25
-	3555	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:26
-	3555	(unique "one of a kind") adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:26
-	817	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:27
-	817	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with (unique "one of a kind")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:27
-	700	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:27
-	36	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network and ad\$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:28
-	4	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:39
-	4	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:40
-	3	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:02
-	3	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and expir\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:41
-	3	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and expir\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:45
-	3	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and expir\$6 and (defin\$4 determine\$4) with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:45
-	3	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and expir\$6 and (defin\$4 determine\$4) with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:46
-	3	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and expir\$6 and (defin\$4 specif\$4 determine\$4) with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:00

-	2	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and expir\$6 and (defin\$4 specif\$4 determine\$4) with (period time) and network with multi\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:01
-	2	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and expir\$6 and (defin\$4 specif\$4 determine\$4) with (period time) and network with plurality	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:07
-	817	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:07
-	57	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and (time with period) and expir\$6 and (defin\$4 specif\$4 determine\$4) with (period time) and network with plurality	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:08
-	18	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and (time with period) and expir\$6 and (defin\$4 specif\$4 determine\$4) with (period time) and network with plurality and message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:23
-	0	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and (time with period) and expir\$6 and (defin\$4 specif\$4 determine\$4) with (period time) with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:24
-	1	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and (time with period) with (period time) with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:26
-	2	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and (time period) with expir\$4 with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:30
-	3	unique adj (identifier id) and (time period) with expir\$4 with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:32
-	3	unique adj (identifier id) and (time period) with expir\$4 and (validat\$4 verif\$4) with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:35
-	40	unique adj (identifier id) and (time period) and (validat\$4 verif\$4) with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:35
-	5016	unique adj (identifier id) and (time period) and (validat\$4 verif\$4) with unique message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:36
-	1	unique adj (identifier id) and (time period) and (validat\$4 verif\$4) with unique with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:38

-	1	(validat\$4 verif\$4) with unique with (id identifier) with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:39
-	0	(validat\$4 verif\$4) with unique adj (id identifier) with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:40
-	0	(validat\$4 ensur\$4 confirm\$4 verif\$4) with unique adj (id identifier) with message with (invalid\$4 unvaild\$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:44
-	24453	unique adj (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:46
-	1332	unique adj (id identifier identification) and (message indicat\$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:47
-	7	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with unique with (message indicat\$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:48
-	7	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with unique with (message indicat\$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:48
-	7	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with uniqu\$5 with (message indicat\$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:51
-	6	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with uniqu\$5 with (message indicat\$4) with (invalid "not valid") and (time period expir\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:54
-	1	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with uniqu\$5 with (id identifier identification) with (message indicat\$4) with (invalid "not valid") with (time period expir\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:56
-	20	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with (message indicat\$4) with (invalid "not valid" or "not unique") with (time period expir\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 11:00
-	20	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with (message indicat\$4) with (invalid "not valid" or "not unique") with (time period expir\$4) not motorola.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 11:04
-	5	unique adj (id identifier identification) and (valid\$4 verif\$4 confirm\$4) with (message indicat\$4) with (invalid "not valid" or "not unique") with (id identifier identification) with (time period expir\$4) not motorola.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 11:04
-	24453	unique adj (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:39
-	6194	unique adj (id identifier identification) and message with ("in used" used invalid)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:39
-	43	unique adj (id identifier identification) and message with ("in used" used invalid) with time adj period	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40

-	0	unique adj (id identifier identification) and message with ("in used" used invalid) with time adj period with expir\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40
-	0	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period with expir\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40
-	162577	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period with validat\$4 verif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40
-	0	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period with (validat\$4 verif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:41
-	35	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period and (validat\$4 verif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:41
-	35	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period and (validat\$4 verif\$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:41
-	11	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period and (validat\$4 verif\$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:42
-	0	unique adj (id identifier identification) and message with ("in use" "being used" invalid) with time adj period and (validat\$4 verif\$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:42
-	958	(validat\$4 verif\$4) with unique with (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:24
-	0	(validat\$4 verif\$4) with unique with (id identifier identification) and message with time adj period	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:25
-	32	(validat\$4 verif\$4) with unique with (id identifier identification) and message with time adj period	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:25
-	19	(validat\$4 verif\$4) with unique with (id identifier identification) and (inform\$4 message) with time adj period and expir\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:26
-	8	(validat\$4 verif\$4) with unique with (id identifier identification) and (inform\$4 message) with time adj period with expir\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:26
-	1	unique adj (identifier identification id) and (verif\$4 validat\$4 ensur\$4) adj (id identification identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and plural\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:42
-	2	unique adj (identifier identification id) and (verif\$4 validat\$4 ensur\$4) near3 (id identification identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and plural\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:48
-	4	("5117351" "5304992" "5388213" "5522077").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:48

-	4	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:49
-	2	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif\$4 validat\$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:49
-	3	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif\$4 validat\$4 ensur\$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	2	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and obtain\$4 adj identif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:02
-	3	unique adj (identifier id) and (verif\$4 validat\$4 ensur\$4) with (id identif\$4) with unique and network with ad\$hoc and (id identifier) with request and (time with period) and obtain\$4 with identif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:04
-	7420	(verif\$4 validat\$4) near3 (id identif\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:04
-	79	(verif\$4 validat\$4) near3 unique adj (id identif\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:05
-	3	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif\$4 validat\$4 ensur\$4) with unique and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	0	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif\$4 validat\$4 ensur\$4) with unique and network and ad\$oc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	0	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif\$4 validat\$4 ensur\$4) with unique and network and ad\$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	1	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and network and ad\$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:09
-	10	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:10
-	14	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:39
-	10	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:44
-	4	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and network with request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:40
-	7	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and request with (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:46

-	7	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and request with (id identifi\$6) and unique adj (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:56
-	1	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and request with (id identifi\$6) and unique adj (id identifi\$6) and network with ad\$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:57
-	5	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and request with (id identifi\$6) and unique adj (id identifi\$6) and network with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:10
-	1	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and request with (id identifi\$6) and unique adj (id identifi\$6) and network with multi\$4 adj link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:59
-	1	(verif\$4 validat\$4) near3 unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and request with (id identifi\$6) and unique adj (id identifi\$6) and network with (multi\$4 plural\$4) adj link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:59
-	9	(verif\$4 validat\$4) with unique adj (id identifi\$6) and (obtain\$4 retriev\$4) adj (id identifi\$6) and request with (id identifi\$6) and unique adj (id identifi\$6) and network with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:11
-	1	5925127.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:30
-	0	5925127.pn. and validat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:30
-	1	5925127.pn. and unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:30
-	0	5925127.pn. and unique adj id	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-	1	5925127.pn. and unique adj identifier	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-	0	5925127.pn. and unique adj identifier and validat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-	1	5925127.pn. and unique adj identifier and verif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-	1	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:55
-	1	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4 and unique adj identification	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56

-	0	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4 and unique adj identification and verif\$4 with identificaition	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-	1	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4 and unique adj identification and verif\$4 with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-	0	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4 and unique adj identification and verif\$4 with unique and validat\$4 with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-	0	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4 and unique adj identification and verif\$4 with unique and validat\$4 with identifcaiton	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-	0	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4 and unique adj identification and verif\$4 with unique and validat\$4 with id	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-	0	5925127.pn. and unique adj identifier and verif\$4 and invalid\$4 and unique adj identification and verif\$4 with unique and validat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:57
-	1	5925127.pn. and unique adj identifier and invalid\$4 and unique adj identification and verif\$4 with unique and valid\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:57
-	0	claim adj request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 09:19